MLS # 24722 Address: 23 Otter Creek Meadows Page 1 of 1

#### **ALL FIELDS DETAIL**



MLS# 24722 **Asking Price** \$72,000 Status Lake Property Comment Status **ACTIVE** Class RESIDENTIAL LAKE PROPERTY Type Area **LAKE MCCONAUGHY Address** 23 Otter Creek Meadows City Lewellen State NE Zip 69147 Sale/Rent For Sale

**IDX Include** 

**BEDROOMS** TWO **TOTAL BATH** ONE **GARAGE CAPACITY FOUR GARAGE TYPE DETACHED STYLE MANUFACTU** RED SQ. FT. ABOVE 0-800

**GROUND** APPROX. AGE 41-60 YRS **BASEMENT** NO WATERFRONT **OTHER AUCTION** NO









### **GENERAL**

**VOW Address VOW Include** Yes Yes **VOW Comment** Yes **WVA WOV** Agent Kent Palmer - Cell: 308-289-6179 **Listing Office 1** Jack Nerud Realty - OFF: 308-772-3244 7/12/2018 LOT 3 BLK 2 OTTER CREEK MEADOWS **Listing Date** Legal **YEAR BUILT LOT SIZE** 1975 10,000 sq.ft Baths: Main Bedroom: Upper 2 1 Apprx. Sq. Ft: Upper 0 Apprx. Sq. Ft: Main 868 Apprx. Sq. Ft: Basement Apprx. Sq. Ft: Grdn Lvl 0 n Apprx. Sq. Ft: % Finished Apprx Sq Ft Above Ground 868 868 **Apprx Total Square Feet Original Price** 868 \$72,000 **Associated Document Count** 0 Sales Broker Compensation 5% **Days On Market Update Date** 7/13/2018 **Status Date** 7/13/2018 **Hotsheet Date** 7/13/2018 **Price Date** 7/13/2018 **Input Date** 7/13/2018 11:58 AM **Geocode Quality** Exact Match **Picture Count Input Date** 7/13/2018 11:58 AM **Update Date** 7/13/2018 11:58 AM

### **FINANCIAL**

PARCEL # 204501000 TAX YEAR 2017

**TAXES** \$312.22

# **ADDENDUM**

Addendum 23 Otter Creek Meadows - Nice 100' x 100' lot with community water and electricity at the lot. Has a 24' x 32' building - insulated, lined, cement floor, rough wired, with 8' high 14' wide door. Trailer is a fixer uppers dream! Could be completed inside or moved out and replace with a new one and your ready to go! Just off paving North & East of Cedar View Entrance to Lake McConaughy. \$72,000.00

### **ADDITIONAL PICTURES**







## **DISCLAIMER**

This information is deemed reliable, but not guaranteed. All measurements are approximate and should be verified.